

2014 Masonite Molded Panel & Flush  
interior doors

 *Masonite*



West End<sup>™</sup> Hamel<sup>™</sup> in Chocolate finish

# find your unique style & transform your home

Would you describe your home as sleek & metropolitan or timeless & vintage?

Masonite offers a wide range of interior door designs to ensure you'll find the perfect fit for your home's decor. Simply find your perfect match by choosing one of the tabbed pages for modern, eclectic or traditional styles.

Our dedication to producing products you can trust and rely on for performance and beauty started over 85 years ago with researcher, engineer and inventor, William H. Mason. Today we remain relentlessly committed to delivering performance, service and innovation to enhance the beauty and functionality of your home.

Look for these **added benefits** throughout




Ready to Paint



Safe 'n Sound\*



Green Attributes



Heft & Feel of Solid Wood



Matching Bifold Available



Sound Reducing



Fire-Rated



Smooth Finish




Textured Finish



Prefinish & Flush Doors	14
Warranties	15
Ordering with Max	15
Eco-Friendly Engineered Doors	16
Design & Size Options	18

# MODERN

SLEEK | CONTEMPORARY | BOLD



**BELLAGIO®**  
2 arched panels



**CAPRI®**  
2 square panels



**TREVISO®**  
3 panel camber-top






## Palazzo Series®

- European style raised panels with smooth surface, ready to paint
- Engineered with Masonite's component construction to perform and to replicate the weight of a wood door
- Resists warping, shrinking and cracking

PALAZZO SERIES®

# MODERN


SLEEK | CONTEMPORARY | BOLD




## West End Collection®

- Classically modern designs complement a variety of decors
- Safe 'N Sound® / Emerald® "green" specification offered for all styles
- Available primed white, ready to paint







Masonite's sliding door track system is space saving, easy to install and features ball bearing rollers to allow your doors to open & close quietly.



HAMEL™




MELROSE™



BERKLEY™

# *Eclectic*

AUTHENTIC | DIVERSE | VINTAGE



**RIVERSIDE®**  
5 panel equal  
smooth



**SADDLEBROOK®**  
1 panel plank  
smooth



**GLENVIEW®**  
3 panel Craftsman  
smooth





ECCLECTIC

AUTHENTIC DIVERSE | VINTAGE



## Anniversary Collection

- Feature lines distinguish architectural correctness of authentic stile & rail wood doors
- Smooth surface, ideal for painting and decorating
- Safe 'N Sound® / Emerald® "green" specification offered for all styles

# Eclectic

AUTHENTIC | DIVERSE | VINTAGE



## Anniversary & Molded Panel

- Smooth surface, ideal for painting and decorating
- 2 Panel and 2 Panel Roman doors available with matching bifolds
- Safe 'N Sound® / Emerald® "green" specification offered for all styles



ECCLECTIC

AUTHENTIC | DIVERSE | VINTAGE



CHEYENNE®  
2 panel camber-  
top plank smooth




2 PANEL



2 PANEL ROMAN

# Traditional

SIMPLE | CLASSIC | TIMELESS



A



3 PANEL



4 PANEL  
ARCH-TOP

B




2 PANEL  
ARCH-TOP



4 PANEL



6 PANEL



## Molded Panel Series

- Safe 'N Sound® / Emerald® "green" specification offered for all styles
- Available in smooth or textured finished with matching bifolds
- Resists warping, shrinking and cracking



# 6 Panel & Flush Prefinished Doors

BASIC | DURABLE | LOW MAINTENANCE



## 6 Panel Prefinished Styles

- Resists warping, shrinking and cracking better than solid wood doors
- Available in textured finished with matching bifolds
- High-quality topcoat ensures a long-lasting finish



WHITE  
TEXTURED



SIENNA  
TEXTURED



AMBER  
TEXTURED



HONEY  
TEXTURED



REGAL  
TEXTURED



## Flush door designs

- Offers the beauty and refinement of an authentic wood grain finish
- A perfect option for small budget renovations
- High-quality primer makes doors easy to paint
- High-quality wood conditioner makes doors stain better




OAK



BIRCH



LAUAN/  
OKOUME



PRIMED  
HARDBOARD

# Design your door with **Max**

**Masonite** Xpress Configurator<sup>SM</sup>

Designing the ideal door to complement your home's interior is easier than ever with Masonite's Max<sup>®</sup> configurator.

Experiment with thousands of customization options, get pricing information and find out where to buy without ever leaving the comfort of your home.



## limited warranty



### LIMITED 1 YEAR WARRANTY

Molded Panel, Anniversary and Flush series interior doors



### LIMITED 5 YEAR WARRANTY

Safe 'N Sound<sup>®</sup>, Emerald<sup>®</sup> and Palazzo<sup>®</sup> series interior doors

See  
[www.masonite.com](http://www.masonite.com)  
for additional info.



For full offering visit  
[masonite.com](http://masonite.com)
















## Connect with us

Visit your Masonite sales rep  
or scan the QR code now

# Eco-Friendly Engineered Doors

SAFE 'N SOUND® & EMERALD "GREEN" DOORS

green association & certification cross reference	 EMERALD® SOLID CORE DOORS	 hollow core
	Molded Panel	Molded Panel
	1-3/8", 1-3/4" 1-3/4" 20-minute	1-3/8" Only
<b>GREEN ATTRIBUTES</b>		
 <b>Pre-Consumer Recycled Content</b>	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED NC - MR 4.1 & 4.2; NAHB - 604.1
 <b>Resource Efficient Materials</b>	NAHB - 607.1	NAHB - 607.1
 <b>Rapidly Renewable Materials</b>	LEED NC - MR 6.0; NAHB 606.1	
 <b>Environmentally Preferred Products / Low Emissions Adhesives and Sealants</b>	LEED H - MR 2.2	LEED H - MR 2.2
 <b>CARB 93120 Compliant</b> (California Air Resources Board)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)
 <b>Extremely Low VOC Emissions</b>	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF
 <b>No Added Urea-Formaldehyde (NAUF)</b>	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4
 <b>FSC Certified Wood</b> (Forest Stewardship Council)	LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2	
<b>PERFORMANCE</b>		
 <b>Made with sound-reducing solid core - DorCor®</b>	✓	
 <b>Offers heft and feel of solid wood</b>	✓	
 <b>Ready to paint &amp; decorate</b>	✓	✓

\*\*Safe 'N Sound doors which meet CARB Phase 2 are available in many areas of the country. The above referenced certifications are based on the following versions: LEED NC - 3.0 / LEED H - 2008 / NAHB - 2008. For technical specification information, visit [www.masonite.com](http://www.masonite.com) or contact us at 800-663-DOOR (3667).



<b>hollow core</b> 	<b>safe'n'sound</b> SOLID CORE DOORS
<b>Primed Hardboard</b>	<b>All Designs &amp; Species</b> (excluding Palazzo)
1-3/8" Only	1-3/8" Only
LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1
NAHB - 607.1	NAHB - 607.1
	LEED NC - MR 6.0; NAHB 606.1
LEED H - MR 2.2	LEED H - MR 2.2
CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	**
NAHB - 901.4, CARB 93120 ULEF	
LEED NC EQ 4.4; NAHB 901.4	
LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2	
	✓
	✓
✓	✓



Masonite Emerald® doors meet strict requirements qualifying these doors as FSC certified and contributing to "green" certifications including LEED® and NAHB National Green Building Program™, plus other local and regional environmental initiatives.

**safe'n'sound**   
EMERALD® SOLID CORE DOORS

The Emerald Solid Core Safe 'N Sound (ESNS) uses a low density fiberboard made from wheat straw with the added attributes of being Forest Stewardship Council (FSC) certified and containing No Added Urea-Formaldehyde (NAUF), plus a 20-minute fire rating is available in 1-3/4" thickness.

(1-3/8" & 1-3/4" thickness) available in 20-minute fire-rated option with 1-3/4" thickness



**hollow core** 

The Emerald Hollow Core (EHC) door is the perfect "green" solution for budget-minded customers.

(1-3/8" thickness)



**safe'n'sound**  
SOLID CORE DOORS

Masonite's environmentally responsible Solid Core Safe 'N Sound (SNS) interior door is manufactured with a low density fiberboard made from wheat straw, an annually renewable, agricultural, wheat by product.







(1-3/8" & 1-3/4" thickness) available in 20-minute fire-rated option with 1-3/4" thickness











**TECHNICAL AND SUPPORT INFORMATION ON GREEN.**




- This product contributes to satisfying the credits of the U.S. Green Building Council's LEED® Green Building Rating System™. For current applicable LEED® standards, visit [www.usgbc.org](http://www.usgbc.org).
- For more information on the NAHB National Green Building Program™, visit [www.nahb.org](http://www.nahb.org).
- Evaluations of the Green Certifications are provided as a courtesy for Masonite customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC® and LEED® are registered trademarks of the U.S. Green Building Council.

# Design & Size Options

MOLDED PANEL SERIES		PASSAGE													BIFOLDS										
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	<b>2 panel arch-top</b>																								
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	textured 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>2 panel roman smooth</b>																								
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>2 panel roman smooth</b>																								
	smooth 80" Commercial 10" Bottom Rail														*	*	*	*	*	*	*	*	*	*	*
	<b>2 panel</b>																								
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>2 panel</b>																								
	smooth 80" Commercial 10" Bottom Rail														*	*	*	*	*	*	*	*	*	*	*
	<b>3 panel</b>																								
	textured 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>4 panel arch-top</b>																								
	textured 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>4 panel</b>																								
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	textured 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>6 panel</b>																								
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	textured 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	textured 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>6 panel commercial</b>																								
	smooth 80"														*	*	*	*	*	*	*	*	*	*	*
	smooth 84"													*	*	*	*	*	*	*	*	*	*	*	*

WEST END COLLECTION		PASSAGE													BIFOLDS										
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	<b>Berkley™</b>																								
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>Hamel™</b>																								
	smooth 80"									*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	<b>Melrose™</b>																								
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

ANNIVERSARY COLLECTION		PASSAGE												BIFOLDS								
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"
	<b>Cheyenne®</b>																					
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
	<b>Glenview®</b>																					
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
	<b>Riverside®</b>																					
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
	<b>Saddlebrook®</b>																					
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•

PALAZZO SERIES®		PASSAGE												BIFOLDS									
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	<b>Bellagio® (2 arched panels)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*
	<b>Capri® (2 square panels)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*
	<b>Treviso® (3 panels)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•*	•*	•*

\*These Palazzo bifolds are shipped as two units.

FLUSH SERIES		PASSAGE												BIFOLDS									
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
80", 84" & 96" Heights																							
<b>Hardboard</b>																							
Primed		•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
<b>Veneer</b>																							
Oak, Birch, Lauan/Okoume		•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•

\*Thinner outer style will not affect functionality. Double doors and bifolds are not recommended. Due to manufacturing processes, a 1/8" tolerance is acceptable on horizontal lines.

Molded Panel Series, Anniversary Collection Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability. \*Molded Panel actually measures 1'7-13/16".

look familiar?



Try Safe 'n Sound<sup>®</sup> Doors for Peace of Mind 



## The door that's solid to the core.

Masonite's extensive selection of Safe 'n Sound<sup>®</sup> doors reflects the kind of dedication to quality, innovation and durability you've come to expect from the trusted name in interior doors. Engineered to meet a wide range of applications and sizes, Masonite interior doors will enhance your home with a vast array of popular design options to support any need. You can rely on Masonite for style, service & performance, right down to the core.

Masonite Helpline: 1-800-663-DOOR (1-800-663-3667)  
9 a.m. to 5 p.m. Monday through Friday, EST [www.masonite.com](http://www.masonite.com)



Masonite, "Masonite. The Beautiful Door.™" Safe 'N Sound, Palazzo, Palazzo Series, Bellagio, West End Collection, Capri, Cheyenne, Glenview, Melrose, Berkley, Hamel, Riverside, Saddlebrook, Treviso, Emerald and DorCor are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.  
86920130 12/13 PRINTED IN THE USA © 2013 by Masonite International Corporation

