



Whether you prefer the traditional appeal of Masonite Classics", the authentic styling of Masonite Select" or the distinct lines of Masonite Expo", we make it easy to find your perfect door. It is all part of our commitment to creating quality products that enhance the beauty and functionality of your home.

Interior Doors at a Glance
Safe 'N Sound® Solid Core Doors
Molded Doors
Commercial Doorsp19
Flush Series
Eco-Friendly Engineered Doorsp21
Barn Door Hardware
Design & Size Options







Masonite®

Interior Doors at a Glance



Combines the classic lines of a wood shaker door with the durability of molded panel engineering



Lincoln Park™ Logan™ Winslow™ Embossed lines and minimalist designs that add sophistication & bold style through understatement



Berkley[®] Hamel[®] Melrose[®] High-definition panels with deep, rich embossments and raised moulding impart an air of elegance to any space



Bellagio[®] Capri[®] Treviso[®]



Decorate with Doors

Add Color to Your Home with Masonite Molded Doors





Feature lines distinguish the architectural correctness of authentic stile & rail wood doors



Cheyenne*
Riverside*
Saddlebrook*

The originals, these doors complement any décor with their simple, pleasing lines & familiar designs



2, 3, 4 and 6 Panel2 Panel Roman2 Panel Arch-Top6 Panel Prefinished

Personalize your interior door to reflect your unique style.



SAFE 'N SOUND®


DURABLE I SOLID I ECO-FRIENDLY

Bring tranquility to your home with durable,

solid core interior doors from Masonite.

Engineered to be environmentally friendly,

Safe 'n Sound Doors offer true peace of mind.







SURVEY SAYS...

When given a choice between Safe 'N Sound® or hollow core doors,

100% OF CUSTOMERS PREFER SAFE 'N SOUND.*

Ask your representative how to upgrade to a Safe 'N Sound door.

*Qualitative research conducted in 2013.



- **5-year** warranty
- Safe 'N Sound® doors quiet a home more than hollow core doors
- Offers the durability, heft & feel of real wood
- Solid core doors add more resale value to a home than standard hollow core doors
- 20-minute fire rated options with 1-3/4" thickness
- Green at Heart:

the core of our Safe 'N Sound door is engineered from wheat straw, an annually renewable resource






HERITAGE® SERIES






- Combines the classic lines of wood shaker doors with the durability of molded panel engineering
- Available in Safe 'N Sound*, see page 21 for details
- Emerald "green" specification offered for all styles with matching bifolds, see page 21 for details

HERITAGE® SERIES






WEST END COLLECTION®



WEST END COLLECTION®



See page 21 for our Barn Door Hardware

*Not for use with double doors or 4 door bifold door applications.



PALAZZO SERIES®













- European style raised panels with smooth surface, ready to paint
- Engineered with Masonite's Component Construction for maximum performance
- Resists warping, shrinking and cracking



MASONITE SELECT



CHEYENNE® | RIVERSIDE® | SADDLEBROOK®



- Feature lines distinguish architectural correctness of authentic stile & rail wood doors
- Available in Safe 'N Sound', see page 21 for details
- Emerald® "green" specification offered for all styles with matching bifolds, see page 21 for details



MOLDED PANEL SERIES



















- Resists warping, shrinking and cracking
- Available in Safe 'N Sound', see page 21 for details
- Emerald® "green" specification offered with matching bifolds, see page 21 for details



6P PREFINISHED





- Durable topcoat ensures a long-lasting finish
- Resists warping, shrinking and cracking better than solid wood doors
- Available in textured finished with matching bifolds












COMMERCIAL DOORS

HEAVY DUTY | DURABLE | LOW MAINTENANCE



- Taller bottom rails & wider stiles for compatibility with
- Satisfies ADA requirements





FLUSH SERIES

BASIC | DURABLE | LOW MAINTENANCE




- Offers the beauty and refinement of an authentic woodgrain finish
- High-quality materials make doors easy to finish









OOR HARDWARE

TRENDY | INNOVATIVE | FUNCTIONAL



- Modern and rustic applications
- Easy install
- For use with solid core doors only







STRAIGHT STRAP Stainless Steel

BENT STRAP Matte Black

TOP OF DOOR STRAP

Stainless Steel

ENDLY ENGINEERE

SAFE 'N SOUND® & EMERALD "GREEN" DOORS

green association & certification cross reference		safe is a und	hollow	solid core doors				
		Molded Panel*	Molded Panel*	Flush Primed Hardboard	All Designs & Species (excluding Palazzo)			
		1-3/8", 1-3/4" 1-3/4" 20-minute	1-3/8" Only	1-3/8" Only	1-3/8" Only			
		GREEN A	TTRIBUTES					
	Pre-Consumer Recycled Content	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1			
	Resource Efficient Materials	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1			
1	Rapidly Renewable Materials	LEED NC - MR 6.0; NAHB 606.1			LEED NC - MR 6.0; NAHB 606.1			
42	Environmentally Preferred Products / Low Emissions Adhesives and Sealants	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2			
48	CARB 93120 Compliant (California Air Resources Board)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	**			
46	Extremely Low VOC Emissions	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF				
42	No Added Urea-Formaldehyde (NAUF)	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4				
FSC	FSC° Certified Wood (Forest Stewardship Council)	LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2		LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2				
		PERFOR	RMANCE					
	Made with sound-reducing solid core	✓			✓			
E.	Offers heft & feel of solid wood	✓			✓			
	Ready to paint & decorate	✓	✓	✓	✓			

^{*}Not all designs are available in Emerald offering, contact Masonite for the complete product offering

The above referenced certifications are based on the following versions: LEED NC - 3.0 / LEED H - 2008 / NAHB - 2008.

For technical specification information, visit www.masonite.com or contact us at 800-663-D00R (3667).

FSC* Trademark License Code: FSC-C014860

TECHNICAL & SUPPORT INFORMATION ON GREEN.

- This product contributes to satisfying the credits of the U.S. Green Building Council's LEED" Green Building Rating System". For current applicable LEED® standards, visit www.usgbc.org.
- For more information on the NAHB National Green Building Program", visit www.nahb.org.
- Evaluations of the Green Certifications are provided as a courtesy for Masonite customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC* and LEED* are registered trademarks of the U.S. Green Building Council.

^{**}Safe `N Sound doors which meet CARB Phase 2 are available in many areas of the country.

DESIGN & SIZE OPTIONS

					PASSAGE														ВП	FOLI	DS				
		PA	LAZZO SERIES®	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		BELLAGIO° (2 /	ARCHED PANELS)																						
			smooth 80"	•	٠	•		•	•	٠	•	•	•	•	•	•		٠		٠		٠	•*	•*	•*
			smooth 84"	٠	٠	٠		•	•	٠	٠	•	•	٠	٠	•		•		٠		٠	•*	•*	•*
			smooth 96"		٠	•		•	•	٠	•			٠	٠	•		٠		٠		٠	•*	•*	•*
		CAPRI® (2 SE	QUARE PANELS)																						
			smooth 80"	٠	٠	٠	•	٠	•	٠	٠	•	•	•	۰	•		•		٠		٠	•*	•*	•*
	닏		smooth 84"	٠	•	•	•	•	•	•	•	٠	•	•	•	•		٠		٠		•	•*	•*	•*
			smooth 96"		٠	•				٠	٠			•	•	•		٠		٠		٠	•*	•*	•*
		TREVIS	O° (3 PANELS)																						
			smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•				•	•*	•*	•*
			smooth 84"	٠	•	•	•	•	•	٠	•	•	•	•	•	•		•		٠		•	•*	•*	•*
			smooth 96"	•	٠	•	•	٠	•	٠	•	•	•	•	•	•		٠		٠		٠	•*	•*	•*
															*Th	nese l	Palaz	zo bi	folds	s are	ship	ped	as t	wo u	nits.
									РΑ	SSA	GE									BII	OL	DS			
		WEST END		12"	14"	15"	16"	18"		24"		28"	30"	32"	34"	36"	18"	24"	28"				48"	60"	72"
			BERKLEY*																						
			smooth 80"	•*	•*	•*	•*	•*	•*	•	•				•	•		•							
Ō			smooth 84"	•*	•*	•*	•*	•*	•*																
MASONITE EXPO			HAMEL*																						
뿔			smooth 80"																						
S I										·	Ť	·	ŀ	·	Ť			·		Ť		·			
IAS			smooth 84"							•	•	•	•	•	٠	•		•		٠		•			
2			MELROSE*																						
			smooth 80"	•*	•*	•*	•*	•*	•*	•	٠	•	•	•	۰	•	•	•		٠		٠			
			smooth 84"	•*	•*	•*	•*	•*	•*		•				•	•	•	•							
		ч	RITAGE® SERIES	12"	1.4"	15"	16"	18"		SSA 24"			30"	30"	34"	36"	1.8"	24"	28"		32"		/\Q"	60"	72"
		LINCOLN PA		12	14	10	10	10	20	24	20	20	00	02	04	30	10	24	20	00	02	00	40	00	12
			smooth 80"	•				•		•										•			•	•	•
	Commercial	smooth 84"				٠	٠														٠				
		10" Bottom Rail																							
	1004	smooth 96"	•	•	•	•	٠	•	•	•	•	•	•	•	•		•		٠		•	•	•	•	
		LOGA	AN™ (2 PANELS)																						
		_ Commercial	smooth 80"	•	•	•	٠	•	•	•	•				•	•		•		•		٠	•	•	•
		10" Bottom Rail	smooth 84"	•	•	•	٠	•	•	•	•	٠	٠	٠	٠	٠		•		•		٠	٠	•	٠
			smooth 96"	•	•	•		•	•	•	•					•				•			•	•	•
		WINSLC	W~ (3 PANELS)																						
			smooth 80"	•	•	•		•		•	•				•	•		•		•			•	•	•
		- Commercial 10" Bottom Rail	smooth 84"																						
			smooin 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
									PA	SSA	GE									ВП	FOL	DS			
				12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
			CHEYENNE°																						
			smooth 80"	٠	٠	•	•	٠	•		•	•	•	•	•	•		٠	٠	•	•	•	٠	٠	•
7			smooth 06"																						
디			smooth 96"	•	•	•	•	•	·			•	•	•	•			•	•	•		•	•		•
ij			RIVERSIDE®																						
벁			smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	٠	٠	•	٠	٠	•	•
MASONITE SELECT			smooth 84"	•	•	٠	٠	•	•	•	•	•	•	•	•	٠	•	٠	٠	٠	•	٠	٠	•	•
			smooth 96" ADDLEBROOK®	•	٠	•	•	٠	•	•	•	•	•	•	•	•	•	•	٠	٠	•	•	•	٠	٠
Ž																									
			smooth 80"	۰	٠	•	٠	٠	٠	•	•	•	•	•	•	•	•	٠	٠	٠	•	•	•	٠	•
			smooth 96"	•	•		•					•	•	•	•	•	•	•	•		•	•			•
	ШШ																								

								P/	488	AG	ŧΕ									В	IFC	LD	S			
		PANEL SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	2 PAI	VEL ARCH-TOP																								
		smooth 80"	٠	٠	•	•	٠	•	٠	٠	•	٠	٠	٠	•			٠	•	٠	٠	٠	•	•	•	٠
Ш		textured 80"	•	٠	•	•	٠	•	٠	•	•	•	•	•	•			٠	•	٠	•	٠	•	•	•	٠
		smooth 84"	•	٠	•	•	٠	•	•	٠	•	٠	٠	٠	•			٠	•	٠	•	٠	•	•	•	٠
		smooth 96"	٠	٠	٠	٠	٠	•	٠	•	•	•	•	•	•			٠	٠	٠	•	٠	٠	•	•	٠
	2 PANEL RO	MAN SMOOTH																								
		smooth 80"	•	•	•	٠	٠	•	٠	•	•	•	•	•	•			٠	•	•	•	٠	٠	•	•	٠
		smooth 84"	٠	٠	•	•	٠	•	٠	٠	٠	٠	٠	•	•			•	•	٠	•	•	•	•	•	٠
		smooth 96"					•	•	٠	٠	•	•	٠	٠	•						٠	•	٠		٠	•
	2 PANEL RO	MAN SMOOTH																								
	- Commercial	smooth 80"										•	٠	•	٠											
	10" Bottom Rail	smooth 84"										•	•	٠												
		2 PANEL																								
		smooth 80"	•		•	•		•	•	•	•	•	•	٠	•			•	•		•		•	•	•	•
		smooth 84"	•	•	•	٠	٠	•	٠		•	•	•		•			٠	٠	٠	•	•	•	٠	٠	٠
Ш		smooth 96"	•		•																					
		2 PANEL																								
	- Commercial	smooth 80"												•												
	10" Bottom Rail	smooth 84"																								
		3 PANEL																								
		textured 80"	•	•	٠	•	٠	•	•	•	•	•	•	•	•			•	•	•	•	٠	•	•	•	•
		4 PANEL																								
ШШ		smooth 80"	•	٠	•	•	٠	•	•	•	•	•	•	•	•			٠	•	•	•	٠	•	•	•	•
		smooth 84"	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠	٠			٠	٠	٠	٠	٠	•	٠	•	٠
шш		smooth 96"	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠			٠	٠	٠	٠	٠	٠	٠	٠	٠
		6 PANEL																								
		smooth 80"	•	•	•	•	٠	•	•	•	•	•	•	•	•			•	•	•	•	٠	•	•	•	•
		textured 80"	•	•	•	•	٠	•	•	•	•	•	•	•	•		•	•	•	•	•	٠	•	•	•	٠
		smooth 84"	•	٠	•	•	٠	•	•	•	•	•	•	•	•			•	•	•	•	٠	•	•	•	•
		textured 84"	•	•	•	•	٠	•	•	•	•	•	•	•	•			•	•	•	•	٠	•	•	•	٠
		smooth 96"	٠	٠	•	•	٠	•	•	•	•	•	•	•	•			٠	٠	٠	•	٠	•	•	•	•
		textured 96"	٠	٠	•	•	•*	•	•	•	•	•	٠	٠	•			٠	•	٠	٠	٠	•	•	•	•
		30" (all colors)	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠				٠	٠	٠	٠	•	٠	٠	٠
	6 PANEL (COMMERCIAL																								
	_ Commercial	smooth 80"										•	•	•	•	•										
	10" Bottom Rail	smooth 84"										•	•			•										

	PASSAGE														BIFOLDS									
FLUSH SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"		
80", 84" & 96" Heights																								
HARDBOARD																								
Primed	•	•	٠	٠	•	٠	•	•	٠	•	•	۰	•	٠	٠	•	•	•	•	•	•	•		
VENEER																								
Oak, Birch, Hardwood	•	٠	٠	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•		


^{*}Thinner outer style will not affect functionality. Double doors and bifolds are not recommended, Due to manufacturing processes, a 1/8" tolerance is acceptable on horizontal lines.

Note: 48", 60" & 72" bifolds are achieved by doubled 24", 30" & 36" bifolds.

Molded Panel Series & Masonite Select⁻⁻ Collection Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing, The trimming process may result in a stille width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stille measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stille width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stille measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability. "Molded Panel actually measures 1'7-13/16".

safens@und®

Ask your representative how to upgrade to a Safe 'N Sound door.







100% OF CUSTOMERS PREFER SAFE 'N SOUND.*

*Qualitative research conducted in 2013.

See inside for more details.



Design your door

Masonite Xpress Configurator



Experiment with thousands of customization options, get pricing information and find out where to buy without ever leaving the comfort of your home.

For full offering visit masonite.com

Masonite", "Masonite. The Beautiful Door."", Max", Safe "N Sound", Emerald", Bellagio", Berkley", Capri", Cheyenne", Hamel", Heritage", Lincoln Park", Logan", Melrose", Palazzo Series", Palazzo", Riverside", Saddlebrook", Trevisor, West End Collection" and Winslow" are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.

11/15 PRINTED IN THE USA © 2015 by Masonite International Corporation

Masonite Helpline: 1-800-663-DOOR (1-800-663-3667) 9 a.m. to 5 p.m. Monday through Friday, EST

www.masonite.com

